

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	6145	(vessel\$1 or boat\$1 or sail\$1 or ship\$1 or sailboat\$1) and fog\$1	US-PGPUB; USPAT	2005/06/14 14:17
2	BRS	L2	957	1 and (alarm or alert\$3 or warn\$3 or audible or sound\$3 or horn\$3 or notify\$5)	US-PGPUB; USPAT	2005/06/14 14:19
3	BRS	L3	1	2 and (control\$4 or microcomputer\$1 or microprocessor\$1 or processor\$1) near15 ("installation type" or "installation-type") near15 (sens\$3 or detect\$3 or monitor\$3 or determin\$3 or measur\$3)	US-PGPUB; USPAT	2005/06/14 14:49
4	BRS	L4	16	2 and (340/984 or 340/985)	US-PGPUB; USPAT	2005/06/14 14:51
5	BRS	L5	1	2 and (340/388.1 or 340/384.4)	US-PGPUB; USPAT	2005/06/14 14:51
6	BRS	L6	1	2 and (340/384.6 or 340/384.3)	US-PGPUB; USPAT	2005/06/14 14:56
7	BRS	L7	0	2 and (340/404.1 or 340/474)	US-PGPUB; USPAT	2005/06/14 14:56
8	BRS	L8	0	2 and (340/384.71 or 340/384.73)	US-PGPUB; USPAT	2005/06/14 14:56
9	BRS	L9	4	2 and (340/486 or 340/471)	US-PGPUB; USPAT	2005/06/14 14:57
10	BRS	L10	1	2 and (364/188 or 364/189)	US-PGPUB; USPAT	2005/06/14 14:43

	Type	L #	Hits	Search Text	DBs	Time Stamp
<b>11</b>	BRS	L11	1	1 and (control\$4 or microcomputer\$1 or microprocessor\$1 or processor\$1) near15 ("installation type" or "installation-type") near15 (sens\$3 or detect\$3 or monitor\$3 or determin\$3 or measur\$3)	US-PGPUB; USPAT	2005/06/14 14:43
<b>12</b>	BRS	L12	5	2 and (116/19 or 116/24)	US-PGPUB; USPAT	2005/06/14 14:57
<b>13</b>	BRS	L13	8	2 and (116/18 or 116/26)	US-PGPUB; USPAT	2005/06/14 14:57
<b>14</b>	BRS	L14	1	2 and (700/83 or 700/84)	US-PGPUB; USPAT	2005/06/14 14:57
<b>15</b>	BRS	L15	1	1 and (700/83 or 700/84)	US-PGPUB; USPAT	2005/06/14 14:47
<b>16</b>	BRS	L16	5	1 and (116/19 or 116/24)	US-PGPUB; USPAT	2005/06/14 14:47
<b>17</b>	BRS	L17	20	1 and (340/984 or 340/985)	US-PGPUB; USPAT	2005/06/14 14:48
<b>18</b>	BRS	L18	1	17 and (control\$4 or microcomputer\$1 or microprocessor\$1 or processor\$1) near15 ("installation type" or "installation-type") near15 (sens\$3 or detect\$3 or monitor\$3 or determin\$3 or measur\$3)	US-PGPUB; USPAT	2005/06/14 14:48
<b>19</b>	BRS	L19	1	1 and (340/388.1 or 340/384.4)	US-PGPUB; USPAT	2005/06/14 14:48
<b>20</b>	BRS	L20	1	1 and (340/384.6 or 340/384.3)	US-PGPUB; USPAT	2005/06/14 14:49

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	0	1 and (340/404.1 or 340/474)	US-PGPUB; USPAT	2005/06/14 14:49
22	BRS	L22	28	(control\$4 or microcomputer\$1 or microprocessor\$1 or processor\$1) near15 ("installation type" or "installation-type") near15 (sens\$3 or detect\$3 or monitor\$3 or determin\$3 or measur\$3)	US-PGPUB; USPAT	2005/06/14 14:50
23	BRS	L23	1	22 and (340/984 or 340/985)	US-PGPUB; USPAT	2005/06/14 14:51
24	BRS	L24	1	22 and (340/388.1 or 340/384.4)	US-PGPUB; USPAT	2005/06/14 14:51
25	BRS	L25	1	22 and (340/384.6 or 340/384.3)	US-PGPUB; USPAT	2005/06/14 14:56
26	BRS	L26	0	22 and (340/404.1 or 340/474)	US-PGPUB; USPAT	2005/06/14 14:56
27	BRS	L27	0	22 and (340/384.71 or 340/384.73)	US-PGPUB; USPAT	2005/06/14 14:56
28	BRS	L28	0	22 and (340/486 or 340/471)	US-PGPUB; USPAT	2005/06/14 14:57
29	BRS	L29	0	22 and (116/19 or 116/24)	US-PGPUB; USPAT	2005/06/14 14:57
30	BRS	L30	0	22 and (116/18 or 116/26)	US-PGPUB; USPAT	2005/06/14 14:57
31	BRS	L31	0	22 and (700/83 or 700/84)	US-PGPUB; USPAT	2005/06/14 14:57